

Nuvan ProStrips

Registrant: Amvac Chemical Corporation

GENERAL

EPA Registration Number:	5481-553	Signal Word:	WARNING
Active Ingredient:	18.6 - Dichlorvos	Application Methods:	Ground
Label Version:	12678-20150304	Mode of Action:	IRAC 1B
Physical State:	Dry	Toxic To:	None
Product Type:	Insecticide, Miticide	Rainfastness:	
Formulation Type:	Solid		

ADDITIONAL INFORMATION


Federally Restricted:	No		
Organic Certifications:	None	Other Certifications:	None
Posting Required:	No	Closed Mixing System Required:	All applications in All States/Provinces: Not required
Oral Notification Required:	No	Avoid Grazing:	Yes

CALIFORNIA

Registration #:		CA Restricted:	No
CA NOI Required:	No		

REGISTERED FOR USE IN

AK, AL, AR, AZ, CO, CT, DC, DE, FL, GA, HI, IA, ID, IL, IN, KS, KY, LA, MA, MD, ME, MI, MN, MO, MS, MT, NC, ND, NE, NH, NJ, NM, NV, NY, OH, OK, OR, PA, PR, RI, SC, SD, TN, TX, UT, VA, VT, WA, WI, WV, WY



PACKAGE TYPES

1 CS Package(s) 36X16GM

****Specific Notices will not be shown until a pest is selected.**

SAFETY

PPE Information:

Re-Entry PPE Information: No Information Available

Transport Information:

Transport information DOT UN number UN3077 UN proper shipping name Environmentally hazardous substances, solid, n.o.s. (Dichlorvos), MARINE POLLUTANT Class 9 Transport hazard class(es) Subsidiary risk - Label(s) 9 Packing group III Marine pollutant Yes Environmental hazards Special precautions for user Read safety instructions, SDS and emergency procedures before handling. Special provisions 8, 146, 335, A112, B54, IB8, IP3, N20, T1, TP33 Packaging exceptions 155 Packaging non bulk 213 Packaging bulk 240 IATA UN number UN3077 UN proper shipping name Environmentally hazardous substance, solid, n.o.s. (Dichlorvos) Class 9 Transport hazard class(es) Subsidiary risk - Packing group III Environmental hazards No. ERG Code 9L Special precautions for user Read safety instructions, SDS and emergency procedures before handling. Passenger and cargo Allowed with restrictions. aircraft Other information Cargo aircraft only Allowed with restrictions. Read safety instructions, SDS and emergency procedures before handling. IMDG UN number UN3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Dichlorvos), MARINE POLLUTANT UN proper shipping name Class 9 Transport hazard class(es) Subsidiary risk - Packing group III Marine pollutant Yes Environmental hazards EmS F-A, S-F Special precautions for user Read safety instructions, SDS and emergency procedures before handling. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code: Not applicable. DOT; IATA; IMDG Marine pollutant General information: IMDG Regulated Marine Pollutant. DOT Regulated Marine Pollutant. This product is not regulated when shipped by highway, rail, or air in non-bulk packaging (maximum capacity of 450 L (119 gallons) or less. When shipped by vessel or in bulk packaging this product is regulated according to the data shown.

Response Number: 800-424-9300

Medical Number: 888-681-4261

SDS Hazard ID Signal Word: Warning

GENERAL NOTICE 1

How it works: The NUVAN PROSTRIP utilizes controlled release technology to slowly diffuse a deep penetrating vapor in enclosed spaces for up to 4 months. The clean, odorless vapor is evenly distributed throughout the enclosed treatment area, killing visible and hidden insects on contact and preventing new insect infestations (while you're away).

GENERAL NOTICE 2

DIRECTIONS FOR USE It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Wearing gloves, remove the insecticide strip from sealed bag when ready to use and place strip in provided holder if treatment area is routinely accessed by people or pets. Do not allow children to handle new or used strips. Place (Hang) in desired location away from windows and out of reach of children and pets. (To apply strips to vertical surfaces, use the enclosed stickers). Drafts, weather and other conditions may affect the performance, but treatment usually lasts for four (4) months. One 16 g strip will treat 100 to 200 cu. ft. Record the date of installation and replace with a new, fresh, full-strength strip at the end of four (4) months or when effectiveness diminishes. Do not use in hospitals or clinic rooms, such as patient rooms, wards, nurseries, operating or emergency areas. Within homes, use only in closets, wardrobes and cupboards. Do not use in closets and wardrobes of rooms where infants, children and the sick or aged are or will be present for any extended period of confinement. Do not use in kitchens (except cupboards), restaurants or areas where food is prepared or served. Do not use in any area of the home where people will be present for extended periods of time. Do not use in the food/feed areas of food/feed processing or food/feed manufacturing or food/feed service establishments. Food/feed areas of these establishments where the product is not permitted for use are areas for receiving, storing, packing (canning, bottling, wrapping, boxing), preparing, edible waste storage and enclosed processing systems (mills, dairies, edible oils, syrups) of food. Serving areas where food is exposed and the facility is in operation are also considered food areas. Non-food/feed areas of these establishments where the product can be used are areas such as garbage rooms, lavatories, floor drains (to sewer), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, utility equipment, garages, mop closets, and product storage (after canning or bottling). This product controls flies, gnats, mosquitoes, moths, silverfish, cockroaches, spiders, beetles, earwigs and other pests as listed. Only available in the following sizes: 16 grams (0.56 oz.), 10.5 grams (0.37 oz.) and 5.25 grams (0.19 oz.) pest strip sizes.

GENERAL NOTICE 3

Museum Collections Occupied by People for Less than 4 Hours Per Day Use NUVAN PROSTRIP to protect museum collections and other similar materials from damaging pests when this is a concern. Place strip in close proximity or within collection boxes using care to avoid contact with collectible and valuable items.

GENERAL NOTICE 4

This product contains the toxic inert ingredient Bis (2-ethylhexyl) adipate (DEHA) at 19.8%.

GENERAL NOTICE 5

INTENDED FOR SALE TO AND USE BY PEST MANAGEMENT PROFESSIONALS ONLY.

GENERAL NOTICE 6

PRECAUTIONARY STATEMENTS Hazards to Humans and Domestic Animals **WARNING:** May be fatal if swallowed. Do not get in mouth. Harmful if inhaled. Causes moderate eye irritation. Avoid breathing vapors. Avoid contact with eyes or clothing. Wear chemical resistant gloves. After prolonged storage, a small amount of liquid may form on strip. Do not get liquid in eyes. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse. Not to be taken internally by humans or animals.

GENERAL NOTICE 7

FIRST AID IF SWALLOWED - Call a poison control center or doctor immediately for treatment advice. - Have person sip a glass of water if able to swallow. - Do not induce vomiting unless told to by a poison control center or doctor. - Do not give anything by mouth to an unconscious person. **IF INHALED** - Move person to fresh air. - If person is not breathing, call 911 or ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. - Call a poison control center or doctor for further treatment advice. **IF IN EYES** - Hold eye open and rinse slowly and gently with water for 15-20 minutes. - Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. - Call a poison control center or doctor for treatment advice. **IF ON SKIN OR CLOTHING** - Take off contaminated clothing. - Rinse skin immediately with plenty of water for 15-20 minutes. - Call a poison control center or doctor for treatment advice. **NOTE TO PHYSICIAN** Probable mucosal damage may contraindicate the use of gastric lavage. **POISONING SYMPTOMS:** This product is a cholinesterase inhibitor. Symptoms include weakness, headache, tightness in chest, blurred vision, non-reactive pin point pupils, salivation, sweating, nausea, vomiting, diarrhea, and abdominal cramps. **TREATMENT:** Atropine is the specific therapeutic antagonist of choice against parasympathetic nervous stimulation. If there are signs of parasympathetic stimulation, atropine sulfate should be injected at 10 minute intervals in doses of 1 to 2 milligrams until complete atropinization has occurred. Morphine is contraindicated. 2-PAM is also antidotal and may be administered in conjunction. Have the product container or label with you when calling a poison control center or doctor, or going for treatment. **FOR THE FOLLOWING EMERGENCIES, PHONE 24 HOURS A DAY:** For Medical Emergencies phone: 1-888-681-4261 For Transportation Emergencies, including spill, leak or fire, phone: CHEMTREC 1-800-424-9300 For Product Use Information phone: AMVAC 1-888-462-6822