

PREMION

Registrant: Amvac Chemical Corporation

GENERAL

EPA Registration Number:	5481-585	Signal Word:	CAUTION
CA Registration Number:	5481-585-ZA		
Active Ingredient:	37.82 - Pentachloronitrobenzene (PCNB) 2.5 - Tebuconazole	Application Methods:	Ground
Label Version:	13710-20160314c	Mode of Action:	FRAC 14, FRAC 3
Physical State:	Liquid (10.6 lb / ga)	Toxic To:	Aquatic Organisms, Fish
Product Type:	Fungicide	Rainfastness:	
Formulation Type:	Suspension		

ADDITIONAL INFORMATION

Federally Restricted:	No		
Organic Certifications:	None	Other Certifications:	None
Posting Required:	No	Closed Mixing System Required:	All applications in All States/Provinces: Not required
Oral Notification Required:	No	Avoid Grazing:	Yes

CALIFORNIA

Registration #:	5481-585-ZA	CA Restricted:	No
CA NOI Required:	No		

REGISTERED FOR USE IN**PACKAGE TYPES**

2.5 GA Package(s) (2 / Case)

****Specific Notices will not be shown until a pest is selected.**

SAFETY

PPE Information:

PERSONAL PROTECTIVE EQUIPMENT (PPE) Some materials that are chemical-resistant to this product are listed below. Applicators and other handlers (other than mixers and loaders) must wear: - Long-sleeved shirt and long pants - Chemical-resistant gloves such as barrier laminate, or nitrile rubber, or neoprene rubber or Viton - Shoes plus socks. Mixers and Loaders Must Wear: - Long-sleeved shirt and long pants - Chemical-resistant gloves such as barrier laminate, or nitrile rubber, or neoprene rubber or Viton - Shoes plus socks - For exposures in enclosed areas: A respirator with an organic vapor-removing cartridge with a combination filter approved for pesticides (MSHA/NIOSH approval number prefix TC-23C), or a canister approved for pesticides (MSHA/NIOSH approval number prefix TC-14G) or a NIOSH approved respirator with an organic vapor (OV) cartridge or canister with any N, R, P, or HE combination filter. - For exposure outdoors: Particulate filtering respirator (MSHA/NIOSH approval number prefix TC-21C), or a NIOSH approved respirator with any N, R, P or HE filter. When handlers use closed systems or enclosed cabs in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240(d)(6)], the handler PPE requirements may be reduced or modified as specified in the WPS.

Re-Entry PPE Information:

No Information Available

Transport Information:

DOT UN number UN3082 Environmentally hazardous substances, liquid, n.o.s. (Pentachloronitrobenzene RQ = 100 lb, Tebuconazole) UN proper shipping name Transport hazard class(es) Class 9 Subsidiary hazard - Label(s) 9 Packing group III Marine pollutant No Environmental hazards Special precautions for user Read safety instructions, SDS and emergency procedures before handling. Special provisions 8, 146, 335, IB3, T4, TP1, TP29 Packaging exceptions 155 Packaging non bulk 203 Packaging bulk 241 IATA UN number UN3082 UN proper shipping name Environmentally hazardous substance, liquid, n.o.s. (Pentachloronitrobenzene, Tebuconazole) Class 9 Transport hazard class(es) Subsidiary hazard - Packing group III Environmental hazards Yes ERG Code 9L Special precautions for user Read safety instructions, SDS and emergency procedures before handling. Passenger and cargo Allowed with restrictions. aircraft Other information Cargo aircraft only Allowed with restrictions. Read safety instructions, SDS and emergency procedures before handling. IMDG UN number UN3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Pentachloronitrobenzene, Tebuconazole), MARINE POLLUTANT UN proper shipping name Class 9 Transport hazard class(es) Subsidiary hazard - Packing group III Marine pollutant Yes Environmental hazards EmS F-A, S-F Special precautions for user Read safety instructions, SDS and emergency procedures before handling. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code: Not established. General information: IMDG Regulated Marine Pollutant. This product is not regulated when shipped by highway or rail in non-bulk packaging of less than 25 gallons. When shipped by air, vessel or in bulk packaging this product is regulated according to the data shown.

Response Number:

800-424-9300

Medical Number:

888-681-4261

SDS Hazard ID Signal Word:

Warning

GENERAL NOTICE 1

ENVIRONMENTAL HAZARDS This pesticide is toxic to fish and aquatic organisms. Drift and runoff from treated areas may be hazardous to fish and aquatic organisms in adjacent aquatic sites. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when cleaning equipment or disposing of equipment washwaters. Ground Water Advisory: Tebuconazole is known to leach through soil into ground water under certain conditions as a result of label use. Use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in ground-water contamination. Surface Water Advisory: This product may contaminate water through drift of spray in wind. This product has a high potential for runoff for several months or more after application. Poorly draining soils and soils with shallow water tables are more prone to runoff that contains this product. A level, well maintained vegetative buffer strip between areas to which this product is applied and surface water features such as ponds, streams, and springs will reduce the potential for contamination of water from rainfall-runoff. Runoff of this product will be reduced by avoiding applications when rainfall is forecasted within 48 hours. **DIRECTIONS FOR USE** It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

GENERAL NOTICE 2

APPLICATION INFORMATION PREMION controls turfgrass diseases by systemic and contact action. Applications that use sufficient water volume to provide thorough and uniform coverage of the turfgrass provide the most consistently effective disease control. Apply PREMION to turfgrass that is well established, actively growing and not under excessive heat, moisture, or turf growth regulator stress or drought stress. Apply at labeled interval to maintain disease control or use as part of a program that consists of a sequence of fungicide active ingredients specific for diseases that are historically active on the turfgrass site when it is predisposed by environmental or agronomically-induced conditions. Apply the specified amount of PREMION in 1 to 4 gallons of water per 1,000 square feet (43.65 to 174.24 gallons per acre) of turfgrass. Apply PREMION after mowing turfgrass. Do not mow treated turf for 24 hours after PREMION has been applied. Do not apply PREMION when daytime high temperatures exceed 85o F. Applications of PREMION should be followed by 0.1 to 0.25 inch of irrigation water or rainfall on the day of application. Treated areas should be irrigated if sufficient rainfall does not occur on the day of application. All applications of PREMION must be made in accordance with the directions for use on this label.

GENERAL NOTICE 3

RESTRICTIONS - Only for use on golf course turf - greens, tees and fairways only. - Do not use on golf course roughs. - Do not apply by aerial application. - Do not apply this product through any type of irrigation system. - Use of PREMION is prohibited on golf course roughs; residential sites, including lawns, yards, and ornamental plants and gardens around homes and apartments; grounds around day care facilities; school yards; parks; playgrounds; and athletic fields. - Mixers and Loaders cannot handle more than 150 gallons of product per day (equivalent to 601 lbs. AI of PCNB/day). - Use of any hand-held application equipment is prohibited. - Apply by ground boom application only. - Do not use on turf grown for sale or commercial use as sod. - Do not make more than 6 applications per year. - Maximum single application rate is 12 fluid ounces of PREMION per 1,000 square feet (4.08 gallons per acre; 16.34 lbs. AI/A of PCNB and 1.08 lbs. AI/A of tebuconazole). - Do not exceed 32 fluid ounces of PREMION per 1,000 square feet per year (10.89 gallons per acre per year; 43.56 lbs. AI/A of PCNB and 2.89 lbs. AI/A of tebuconazole per year). - Do not use clippings for animal feed. - Do not make applications when conditions favor drift. - Observe the following restrictions when applying in the vicinity of aquatic areas such as lakes, reservoirs, rivers, permanent streams, marshes or natural ponds and estuaries: -- Do not apply within 100 feet of aquatic areas or sensitive areas listed below. -- Maintain a 10 foot wide non-cultivated vegetative strip to prevent movement into bodies of water.

GENERAL NOTICE 4

See Application Dilution Chart on page 6 in the main label

GENERAL NOTICE 5

SPRAY ADDITIVES: Use of spray additives such as spreaders, stickers, extenders, trace elements or fertilizers should be evaluated on a small scale before widespread applications are made to turf areas. The label directions for use provided here are based on data obtained with no additives and the use of these products with PREMION may affect the results. Contact local university extension service personnel or an AMVAC representative before using spray additives with PREMION. **RESISTANCE MANAGEMENT** The active ingredients in PREMION belong to the Sterol Inhibitor or Demethylation Inhibitor (FRAC Group 3) and aromatic hydrocarbon (FRAC Group 14) classes of chemistry. To maintain the long-term effectiveness of PREMION, it should be incorporated into seasonal turfgrass disease management programs that utilize as many modes of action as possible to control target diseases. Turfgrass agronomic and cultural practices that reduce overall disease pressure are a critical component of resistance management. Contact your local university cooperative extension service personnel for information on fungicide resistance management in turf. **SPRAY DRIFT MANAGEMENT** Application equipment and weather affect spray drift. Consider all factors when making application decisions. Where states have more stringent regulations, they must be observed when applying PREMION. Avoiding spray drift is the responsibility of the applicator or turfgrass manager. To reduce the potential for drift, the application equipment must be adjusted to produce medium to large droplets (i.e., ASAE Standard 572) with corresponding spray pressure. Use high flow rate nozzles to apply the highest practical spray volume, using the appropriate droplet size to ensure adequate turf canopy distribution, coverage and penetration. With most nozzle types, narrower spray angles produce larger droplets. Follow the nozzle manufacturer's directions on pressure, orientation, spray volume, etc., to minimize drift and optimize coverage and control. **WIND:** Make applications when wind velocity favors on-target deposition (approximately 3 to 10 mph). Avoid making applications when spray particles may be carried by air currents outside the targeted treatment area. Do not apply when wind velocity exceeds 15 mph. Avoid applications when wind gusts approach 15 mph. Risk of exposure to sensitive aquatic areas can be reduced by avoiding applications when wind direction is toward the aquatic area. Always make applications when there is some air movement to determine the direction and distance of possible spray drift. Local terrain may influence wind patterns. The applicator should be familiar with local conditions and understand how they may impact spray drift. Boom or nozzle shielding can reduce the effects of wind or air currents on drift. Verify that shields do not interfere with uniform deposition of product before application. **TEMPERATURE AND HUMIDITY:** High temperatures and/or low humidity increase the evaporation rate of spray droplets and therefore the likelihood of spray drift. Avoid spraying during high temperature and/or low humidity conditions. **TEMPERATURE INVERSION:** A surface temperature inversion (i.e., increasing air temperature with increasing altitude) greatly increases the potential for drift. Do not apply during a temperature inversion. Avoid application when conditions are favorable for the formation of an inversion. Presence of ground fog is a good indicator of a surface temperature inversion. The applicator may detect the presence of an inversion by producing smoke and observing whether a smoke layer forms near the ground surface. **SENSITIVE AREAS:** Sensitive areas for PREMION are defined as bodies of water (ponds, lakes, rivers and streams), wetlands, habitats for endangered species and agricultural crop areas. Applicators must take all necessary precautions to keep spray drift from reaching sensitive areas.

GENERAL NOTICE 6

TURFGRASS TOLERANCE Apply to turfgrass that is well established, actively growing and not under excessive heat or moisture stress or drought stress. Use PREMION in accordance with label use instructions on: - All cool-season turfgrasses such as bentgrasses, bluegrasses, fescues, ryegrasses and mixtures thereof. - Warm-season grasses such as St. Augustinegrass, seashore paspalum, kikuyugrass and zoysiagrass. Tank-mixing PREMION with a pigment containing product will provide an added measure of turf tolerance and will enhance overall turf quality. Colonial bentgrass is generally more vulnerable to injury than is creeping bentgrass. Bermudagrasses tolerate applications of PREMION when daily temperatures do not exceed 85 degree F immediately before or after application. Avoid application to bermudagrass during spring transition and ensure that complete green-up has occurred to avoid any potential growth inhibition. The turf safety of PREMION, both applied alone and in combination with all potential tank-mix partners, has not been tested on all turfgrass species and varieties under varying agronomic practices and environmental conditions. Before making widescale applications of PREMION, a small area should be treated and observed for at least one week after application to ensure turf safety under local conditions.

GENERAL NOTICE 7

FIRST AID If in eyes: - Hold eye open and rinse slowly and gently with water for 15-20 minutes. - Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. - Call a poison control center or doctor for treatment advice. If on skin or clothing: - Take off contaminated clothing. - Rinse skin immediately with plenty of water for 15-20 minutes. - Call a poison control center or doctor for treatment advice. If inhaled: - Move person to fresh air. - If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. - Call a poison control center or doctor for further treatment advice. If swallowed: - Immediately call a poison control center or doctor. - Do not induce vomiting unless told to by a poison control center or doctor. - Do not give any liquid to the person. - Do not give anything to an unconscious person.

GENERAL NOTICE 8

EMERGENCY INFORMATION Have the product container or label with you when calling a poison control center or doctor, or going for treatment. **FOR THE FOLLOWING EMERGENCIES, PHONE 24 HOURS A DAY:** For Medical Emergencies phone: 1-888-681-4261 For Transportation Emergencies, including spill, leak or fire, phone: CHEMTREC: 1-800-424-9300 For Product Use Information phone: AMVAC: 1-888-462-6822 **NOTE TO PHYSICIAN** Contains petroleum distillate. Vomiting may cause aspiration pneumonia.

GENERAL NOTICE 9

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION: Causes moderate eye irritation. Harmful if swallowed or absorbed through the skin or inhaled. Avoid contact with skin, eyes or clothing. Avoid breathing vapor or spray mist. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Remove and wash contaminated clothing before reuse. Wear: long-sleeved shirt and long pants, socks, shoes and gloves.

GENERAL NOTICE 10

USER SAFETY RECOMMENDATIONS Users should: - Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. - Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. - Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

GENERAL NOTICE 11

User Safety Requirements Follow manufacturer's instructions for cleaning and maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

TANK MIX INFORMATION

PREMION is compatible with most commonly used turf fungicide, insecticide, herbicide, plant growth regulator and foliar nutrient products. However, the physical compatibility of PREMION with all potential tank-mix partners has not been investigated. If tank-mixing with other products is desired, conduct a jar test with a small volume of the same proportion of water and pesticides being considered for turfgrass application. Pour the appropriate quantity of water in a small jar and add the proportionate amounts of products in the following order: 1) wettable powders and water-dispersible granular products; 2) PREMION and other liquid flowables or suspension concentrates; and 3) emulsifiable concentrates; and 4) water soluble fertilizers, such as AMS or UAN, and other spray additives. After mixing thoroughly, let the mixture stand for at least 15 minutes then observe for signs of separation, globules, sludge, flakes or other precipitates. Physical compatibility is confirmed if the combination remains mixed or can be remixed readily by shaking lightly. Tank-mixtures of PREMION with other pesticides registered for use on golf courses must be applied in accordance with the most restrictive of label restrictions, limitations and precautions. No label application rates may be exceeded. This product cannot be mixed with any product with a label prohibition against such mixing. When tank-mixing with other products, it is the responsibility of the end-user/applicator to ensure that the tank-mix partner is registered in the state where the application is being made. Not all products are registered in all states; please verify state registration of all tank-mix products in your state before selling, distributing or using.

SPECIAL INSTRUCTIONS**MIXING AND CHEMICAL COMPATIBILITY INFORMATION**

Use clean and properly calibrated spray equipment. Follow the recommendations of your State Cooperative Extension Service, consultant or pest control advisor for tank-mixing with other products. To tank-mix, add one half of the necessary volume of water to the spray or mixing tank and start agitation. Add PREMION and tank-mix partner products to the tank in the following order: 1) water-soluble packets (wait for packets to completely dissolve); 2) wettable powders and water-dispersible granular products; 3) PREMION and other liquid flowables or suspension concentrates; 4) emulsifiable concentrates; and 5) water soluble fertilizers, such as AMS or UAN, and other spray additives. Complete tank filling by adding water to achieve the desired final volume. Maintain agitation throughout the application. Do not allow the spray mixture to remain in the tank overnight or for long periods of time during the day without agitation.