

Avensis

Distributor: Amvac Chemical Corporation

Registrant: AMGUARD Environmental Technologies

GENERAL

EPA Registration Number:	5481-627	Signal Word:	WARNING
CA Registration Number:	5481-627-AA		
Active Ingredient:	1.9 - Abamectin	Application Methods:	Ground
Label Version:	627-20220301	Mode of Action:	IRAC 6
Physical State:	Liquid (8.24 lb / ga)	Toxic To:	Amphibians, Bees, Crustacean, Fish, Freshwater Shrimp, Insect, Wildlife
Product Type:	Insecticide, Miticide	Rainfastness:	
Formulation Type:	Emulsifiable Concentrate OR Emulsion Concentrate		

ADDITIONAL INFORMATION


Federally Restricted:	Yes		
Organic Certifications:	None	Other Certifications:	None
Posting Required:	No	Closed Mixing System Required:	All applications in All States/Provinces: Not required
Oral Notification Required:	No	Avoid Grazing:	See Label

CALIFORNIA

Registration #:	5481-627-AA	CA Restricted:	No
CA NOI Required:	No		

REGISTERED FOR USE IN

AK, AL, AR, AZ, CA, CO, CT, DC, DE, FL, GA, HI, IA, ID, IL, IN, KS, KY, LA, MA, MD, ME, MI, MN, MO, MS, MT, NC, ND, NE, NH, NJ, NM, NV, NY, OH, OK, OR, PA, PR, RI, SC, SD, TN, TX, UT, VA, VT, WA, WI, WV, WY



PACKAGE TYPES

1 GA Package(s) (4 / Case)

****Specific Notices will not be shown until a pest is selected.**

SAFETY

PPE Information: PERSONAL PROTECTIVE EQUIPMENT (PPE) Some materials that are chemical-resistant to this product are listed below. For more options, follow the instructions for Category B on an EPA chemical resistance category selection chart. Applicators and other handlers must wear: - Coveralls worn over short-sleeved shirt and short pants - Chemical-resistant gloves, such as barrier laminate or butyl rubber >= 14 mils - Chemical-resistant footwear plus socks - Protective eyewear - Chemical-resistant headgear for overhead exposure - Chemical-resistant apron when cleaning equipment, mixing, or loading - For greenhouse and shadehouse uses, applicators and other handlers must wear a minimum of a NIOSH approved particulate filtering facepiece respirator with any N, R, or P filter with a NIOSH approved number prefix TC-84. Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them. Follow manufacturer's instructions for cleaning / maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

Re-Entry PPE Information: PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated such as plants, soil, or water is: - Coveralls over short-sleeved shirt and short pants - Chemical-resistant gloves, such as barrier laminate or butyl rubber >= 14 mils - Chemical-resistant footwear plus socks - Protective eyewear - Chemical-resistant headgear for overhead exposure

Transport Information: 14. Transport information DOT Not regulated as dangerous goods. IATA UN number UN3082 UN proper shipping name Environmentally hazardous substance, liquid, n.o.s. (Abamectin) Class 9 Transport hazard class(es) Subsidiary risk - Packing group III Environmental hazards Yes ERG Code 9L Special precautions for user Read safety instructions, SDS and emergency procedures before handling. Passenger and cargo aircraft: Allowed with restrictions. Cargo aircraft only Allowed with restrictions. Read safety instructions, SDS and emergency procedures before handling. IMDG UN number UN3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Abamectin), MARINE POLLUTANT UN proper shipping name Class 9 Transport hazard class(es) Subsidiary risk - Packing group III Marine pollutant Yes Environmental hazards EmS F-A, S-F Special precautions for user Read safety instructions, SDS and emergency procedures before handling. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code: Not established. General information: IMDG Regulated Marine Pollutant.

Response Number: 800-424-9300

Medical Number: 888-681-4261

SDS Hazard ID Signal Word: Danger

GENERAL NOTICE 1

RESTRICTED USE PESTICIDE DUE TO TOXICITY CATEGORIES FOR RETAIL SALE TO AND USE ONLY BY CERTIFIED APPLICATORS OR PERSONS UNDER THEIR DIRECT SUPERVISION AND ONLY FOR THOSE USERS COVERED BY THE CERTIFIED APPLICATOR'S CERTIFICATION. For control of leafminers and mites and suppression of aphids, whiteflies and thrips on ornamental plants. For control of plant-parasitic nematodes (including lance, ring, root knot, spiral, sting, stubby root and stunt) and annual bluegrass weevil on golf course greens, tees and fairways. Recommended for Agricultural/Commercial Use

GENERAL NOTICE 2

FIRST AID IF SWALLOWED: - Call a poison control center or doctor immediately for treatment advice. - Have person sip a glass of water if able to swallow - Do not induce vomiting unless told to do so by the poison control center or doctor. - Do not give anything by mouth to an unconscious person. **IF IN EYES:** - Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. - Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. - Call a poison control center or doctor immediately for treatment advice. **IF ON SKIN OR CLOTHING:** - Take off contaminated clothing. - Rinse skin immediately with plenty of soap and water for 15 - 20 minutes. - Call a poison control center or doctor for treatment advice. **IF INHALED:** - Move person to fresh air. - If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. - Call a poison control center or doctor for treatment advice.

GENERAL NOTICE 3

NOTE TO PHYSICIAN Early signs of intoxication include mydriasis (dilated pupils), ataxia (unsteadiness), and muscle tremors. Toxicity following accidental ingestion of Avensis insecticide/miticide can be minimized by promptly administering activated charcoal. If toxicity from exposure has progressed to cause severe vomiting, the extent of resultant fluid and electrolyte imbalance should be gauged. Appropriate supportive parenteral fluid replacement therapy should be given, along with other required supportive measures (such as maintenance of blood pressure levels and respiratory functionality) as indicated by clinical signs, symptoms, and measurements. In severe cases, observations should continue for at least several days until clinical condition is stable and normal. Since abamectin is believed to enhance GABA activity in animals, it is probably wise to avoid drugs that enhance GABA activity (barbiturates, benzodiazepines, valproic acid) in patients with potentially toxic abamectin exposure.

GENERAL NOTICE 4

EMERGENCY INFORMATION Have the product container or label with you when calling a poison control center or doctor, or going for treatment. **FOR THE FOLLOWING EMERGENCIES, PHONE 24 HOURS A DAY:** For Medical Emergencies phone: 1-888-681-4261 For Transportation Emergencies, including spill, leak or fire, phone: CHEMTREC(R): 1-800-424-9300 For Product Use Information phone: AMVAC(R): 1-888-462-6822

GENERAL NOTICE 5

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS WARNING/AVISO: May be fatal if swallowed. Causes substantial but temporary eye injury. Do not get in eyes or on clothing. Wear protective eyewear such as goggles, face shield, or safety glasses. Harmful if inhaled or absorbed with the skin. Avoid contact with skin. Avoid breathing spray mist. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse.

GENERAL NOTICE 6

ENGINEERING CONTROLS When handlers use closed systems, enclosed cabs in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240(d)(4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS.

GENERAL NOTICE 7

USER SAFETY RECOMMENDATIONS Users should: - Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. - Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. - Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

GENERAL NOTICE 8

ENVIRONMENTAL HAZARDS This pesticide is toxic to fish and wildlife. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not apply when weather conditions favor drift from target areas. Do not contaminate water when disposing of equipment wash water or rinsate. This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area. Use of this product may pose a risk to threatened and endangered species of fish, amphibians, crustaceans (including fresh water shrimp), and insects. All use of this product in the state of California must comply with the directions of the California Endangered Species Project. Before using this product in California, consult with your county agriculture commissioner to determine use limitations that apply in your area. This product may impact surface water quality due to runoff of rain water. This is especially true for poorly draining soils and soils with shallow ground water. This product is classified as having a medium potential for reaching both surface water and aquatic sediment via runoff for several weeks to months after application. A level, well-maintained vegetative buffer strip between areas to which this product is applied and surface water features such as ponds, streams, and springs will reduce the potential loading of abamectin from runoff water and sediment. Runoff of this product will be reduced by avoiding applications when rainfall is forecasted to occur within 48 hours.

GENERAL NOTICE 9

PHYSICAL OR CHEMICAL HAZARDS Do not use or store near heat or open flame.

GENERAL NOTICE 10

DIRECTIONS FOR USE RESTRICTED USE PESTICIDE It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation. Failure to follow the Directions for Use and Precautions/Restrictions on this label may result in plant injury and/or unacceptable control of target pests.

GENERAL NOTICE 11

AGRICULTURAL USE REQUIREMENTS Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR Part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard. Do not enter or allow worker entry into treated areas during the restricted-entry interval (REI) of 12 hours.

GENERAL NOTICE 12

NON-AGRICULTURAL USE REQUIREMENTS The requirements in this box apply to uses of this product that are NOT within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR, part 170), WPS applies when this product is used to produce agricultural plants on farms, nurseries, or greenhouses. Do not enter or allow others to enter treated areas until sprays have dried.

GENERAL NOTICE 13

PRODUCT AND APPLICATION INFORMATION Avensis insecticide/miticide is an emulsifiable concentrate formulation that contains 0.15 lb of abamectin per gallon. When mixed with water and applied in accordance with the Directions for Use on this label, Avensis insecticide/miticide will control or suppress labelled pests on turfgrass and ornamental plants.

GENERAL NOTICE 14

RESTRICTIONS: - Do not apply Avensis insecticide/miticide by air. - Do not apply Avensis insecticide/miticide through any type of irrigation system. - Do not apply Avensis insecticide/miticide through any type of ultra-low volume spray system. - Do not use Avensis insecticide/miticide in citrus nurseries. - Do not use Avensis insecticide/miticide on ferns and shasta daisy. - Do not use Avensis insecticide/miticide for suppression of aphids, thrips and whiteflies on roses, chrysanthemums and gerbera. These ornamentals are primary hosts of mites and Liriomyza leafminers towards which Avensis insecticide/miticide applications should be targeted. Additional applications of Avensis insecticide/miticide to suppress aphids, thrips and whiteflies on these plants will increase the selection pressure for resistance on mites and Liriomyza leafminers. - Do not apply to golf course roughs. - Do not apply to residential turf, sports fields or commercial turf. - Do not apply to turfgrass that is under heat or moisture stress. - Do not graze treated turf or feed turf clippings from any treated area to poultry or livestock. - Maximum single application rate for turfgrass application is 0.067 lb AI per acre (57 fl.oz. per acre). - Minimum application interval for turfgrass applications is 14 days. - Maximum yearly application rate for turfgrass application is 0.27 lb AI per acre per year (230 fl.oz. per acre per year).

GENERAL NOTICE 15

TURFGRASS APPLICATION DILUTION CHART Please refer to Table on page 8 of Master Label. Do not apply Avensis insecticide/miticide to turf that is under heat or moisture stress. The turf safety of Avensis insecticide/miticide, applied both alone and in combination with the myriad of potential tank-mix partners, has not been tested on all turfgrass species and cultivars under varying agronomic practices and environmental conditions. Before making wide scale applications of Avensis insecticide/miticide, a small area of turf should be treated and observed for at least two weeks after application to ensure turf safety under local conditions.

GENERAL NOTICE 16

MIXING AND CHEMICAL COMPATIBILITY INFORMATION Use clean and properly calibrated spray equipment. Follow the recommendations of your State Cooperative Extension Service, consultant or pest control advisor for tank-mixing with other products. Add one half of the necessary volume of water to the spray or mixing tank and start agitation. Add Avensis insecticide/miticide and tank-mix partner products to the tank in the following order: 1) water-soluble packets (wait for packets to completely dissolve); 2) wettable powders and water-dispersible granular products; 3) liquid flowables or suspension concentrates; 4) Avensis insecticide/miticide and other emulsifiable concentrates; and 5) water soluble fertilizers, such as AMS or UAN, and other spray additives. Complete tank filling by adding water to achieve the desired final volume. Maintain agitation throughout the application. Do not allow the spray mixture to remain in the tank overnight or for long periods of time during the day without agitation. Avensis insecticide/miticide is compatible with most commonly used fungicide, insecticide, herbicide, plant growth regulator and foliar nutrient products. However, the physical compatibility of Avensis insecticide/miticide with all potential tank-mix partners has not been fully investigated. If tank-mixing with other products is desired, conduct a jar test with the water volume and pesticide application rates that are being considered for turfgrass application. Place the appropriate quantity of water in a small jar and add the proportionate amounts of products in the following order: 1) wettable powders and water-dispersible granular products; 2) liquid flowables or suspension concentrates; and 3) Avensis insecticide/miticide and other emulsifiable concentrates; and 4) water soluble fertilizers, such as AMS or UAN, and other spray additives. After mixing thoroughly, let the mixture stand for at least 15 minutes then observe looking for signs of separation, globules, sludge, flakes or other precipitates. Physical compatibility is confirmed if the combination remains mixed or can be remixed readily by shaking lightly. Tank-mixtures of Avensis insecticide/miticide with other pesticides must be applied in accordance with the most restrictive of label restrictions, limitations and precautions. No label application rates may be exceeded. This product cannot be mixed with any product containing a label prohibition against such mixing. When tank-mixing with other products, it is the responsibility of the end-user/applicator to ensure that the tank-mix partner is registered in the state where the application is being made. Not all products are registered in all states; please verify state registration of all tank-mix products in your state before selling, distributing or using. **SPRAY ADDITIVES:** Use of spray additives such as spreaders, extenders, trace elements or fertilizers should be evaluated on a small scale before making wide scale applications. The label directions for use provided here are based on data obtained with no additives and the use of these products with Avensis insecticide/miticide may affect the results. Contact local university extension service personnel or an AMVAC representative before using spray additives with Avensis insecticide/miticide.

GENERAL NOTICE 17

RESISTANCE MANAGEMENT The active ingredient in Avensis insecticide/miticide is a Glutamate-gated Chloride Channel Allosteric Modulator (IRAC Group 6). To maintain the long-term effectiveness of Avensis insecticide/miticide, it should be incorporated into an insect/mite/nematode management program that utilizes as many different modes of action as possible to control target pests. Agronomic and cultural practices that reduce overall insect, mite and nematode pressure are a critical component of resistance management. Contact your local university cooperative extension service or pest management consultant for information on resistance management.

GENERAL NOTICE 18

SPRAY DRIFT MANAGEMENT Application equipment and weather affect spray drift. Consider all factors when making application decisions. Where states have more stringent regulations, they must be observed when applying Avensis insecticide/miticide. Avoiding spray drift is the responsibility of the applicator. To reduce the potential for drift, the application equipment must be adjusted to produce medium to large droplets (i.e. ASAE Standard 572) with corresponding spray pressure. Use high flow rate nozzles to apply the highest practical spray volume, using the appropriate droplet size to ensure adequate distribution, coverage and penetration. With most nozzle types, narrower spray angles produce larger droplets. Follow the nozzle manufacturer's directions on pressure, orientation, spray volume, etc., in order to minimize drift and optimize coverage and control. **WIND:** Make applications when wind velocity favors on-target deposition (approximately 3 to 10 mph). Avoid making applications when spray particles may be carried by air currents outside the targeted treatment area. Do not apply when wind velocity exceeds 15 mph. Avoid applications when wind gusts approach 15 mph. Risk of exposure to sensitive aquatic areas can be reduced by avoiding applications when wind direction is toward the aquatic area. Always make applications when there is some air movement to determine the direction and distance of possible spray drift. Local terrain may influence wind patterns. The applicator should be familiar with local conditions and understand how they may impact spray drift. Boom or nozzle shielding can reduce the effects of wind or air currents on drift. Verify that shields do not interfere with uniform deposition of product before application. **TEMPERATURE AND HUMIDITY:** High temperatures and low humidity increase the evaporation rate of spray droplets and therefore the likelihood of spray drift. Avoid spraying during high temperature and/or low humidity conditions. **TEMPERATURE INVERSION:** A surface temperature inversion (i.e., increasing air temperature with increasing altitude) greatly increases the potential for drift. Do not apply during a temperature inversion. Avoid application when conditions are favorable for the formation of an inversion. Presence of ground fog is a good indicator of a surface temperature inversion. The applicator may detect the presence of an inversion by producing smoke and observing whether a smoke layer forms near the ground surface.

GENERAL NOTICE 19

STORAGE AND DISPOSAL Do not contaminate water, food or feed by storage or disposal. **Pesticide Storage:** Keep out of reach of children and animals. Store in original containers only. Store in a cool, dry place and avoid excess heat. Carefully open containers. After partial use, replace lids and close tightly. Do not put concentrate or dilute material into food or drink containers. In case of spill, avoid contact, isolate area and keep out animals and unprotected persons. Confine spills. Call CHEMTREC: 1-800-424-9300. To confine spill: If liquid, dike surrounding area or absorb with sand, cat litter or commercial clay. If dry material, cover to prevent dispersal. Place damaged package in a holding container. Identify contents. **Pesticide Disposal:** Pesticide wastes are toxic. Do not contaminate water, food or feed by storage or disposal. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. Dispose of excess or waste pesticide by use according to label directions, or contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance. **Container Disposal:** Empty containers retain vapor and product residues **Plastic Containers (five gallons or less):** Nonrefillable container. Do not reuse or refill this container. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

GENERAL NOTICE 20

LIMITED WARRANTY AND DISCLAIMER The manufacturer warrants (a) that this product conforms to the chemical description on the label; and (b) that the directions, warnings, and other statements on this label are based upon responsible experts' evaluations of reasonable tests of effectiveness, of toxicity to laboratory animals and to plants and residues on food crops, and upon reports of field experience. Tests have not been made on all varieties of food crops and plants, or in all states or under all conditions. This warranty does not extend to the use of this product contrary to label instructions, or under conditions not reasonably foreseeable. **THERE ARE NO EXPRESS WARRANTIES OTHER THAN THOSE SET FORTH HEREIN. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW THE MANUFACTURER NEITHER MAKES NOR INTENDS, NOR DOES IT AUTHORIZE ANY AGENT OR REPRESENTATIVE, TO MAKE ANY OTHER WARRANTIES, EXPRESS OR IMPLIED, AND IT EXPRESSLY EXCLUDES AND DISCLAIMS ALL IMPLIED WARRANTIES OF MERCHANTABILITY OF FITNESS FOR A PARTICULAR PURPOSE, OR ANY WARRANTY OF QUALITY OR PERFORMANCE. THIS WARRANTY DOES NOT EXTEND TO, AND THE BUYER SHALL BE SOLELY RESPONSIBLE FOR, ANY AND ALL LOSS OR DAMAGE WHICH RESULTS FROM THE USE OF THIS PRODUCT IN ANY MANNER WHICH IS INCONSISTENT WITH THE LABEL DIRECTIONS, WARNINGS OR CAUTIONS. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW BUYER'S EXCLUSIVE REMEDY AND MANUFACTURER'S OR SELLER'S EXCLUSIVE LIABILITY FOR ANY AND ALL CLAIMS, LOSSES, DAMAGES, OR INJURIES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER OR NOT BASED IN TORT, CONTRACT, NEGLIGENCE, STRICT LIABILITY IN TORT OR OTHERWISE, SHALL BE LIMITED, AT THE MANUFACTURER'S OPTION, TO REPLACEMENT OF, OR THE REPAYMENT OF THE PURCHASE PRICE FOR, THE QUANTITY OF PRODUCT WITH RESPECT TO WHICH DAMAGES ARE CLAIMED. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW MANUFACTURER OR SELLER SHALL NOT BE LIABLE FOR SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT.** AMVAC offers this product, and Buyer accepts it, subject to the foregoing Limited Warranty which may be varied only by agreement in writing signed by an authorized representative of AMVAC. (C) 2022 AMVAC Chemical Corporation. A wholly owned subsidiary of American Vanguard Corporation. All Rights Reserved. American Vanguard, AMVAC, the AMVAC logo, Avensis are trademarks owned by AMVAC Chemical Corporation. Turbo Floodjet and TurfJet are trademarks of Spraying Systems Co. CHEMTREC is a service mark owned by the American Chemistry Council, Inc.

TANK MIX INFORMATION

MIXING AND CHEMICAL COMPATIBILITY INFORMATION

Use clean and properly calibrated spray equipment. Follow the recommendations of your State Cooperative Extension Service, consultant or pest control advisor for tank-mixing with other products. Add one half of the necessary volume of water to the spray or mixing tank and start agitation. Add Avensis insecticide/miticide and tank-mix partner products to the tank in the following order: 1) water-soluble packets (wait for packets to completely dissolve); 2) wettable powders and water-dispersible granular products; 3) liquid flowables or suspension concentrates; 4) Avensis insecticide/miticide and other emulsifiable concentrates; and 5) water soluble fertilizers, such as AMS or UAN, and other spray additives. Complete tank filling by adding water to achieve the desired final volume. Maintain agitation throughout the application. Do not allow the spray mixture to remain in the tank overnight or for long periods of time during the day without agitation.

Avensis insecticide/miticide is compatible with most commonly used fungicide, insecticide, herbicide, plant growth regulator and foliar nutrient products. However, the physical compatibility of Avensis insecticide/miticide with all potential tank-mix partners has not been fully investigated. If tank-mixing with other products is desired, conduct a jar test with the water volume and pesticide application rates that are being considered for turfgrass application. Place the appropriate quantity of water in a small jar and add the proportionate amounts of products in the following order: 1) wettable powders and waterdispersible granular products; 2) liquid flowables or suspension concentrates; and 3) Avensis insecticide/miticide and other emulsifiable concentrates; and 4) water soluble fertilizers, such as AMS or UAN, and other spray additives. After mixing thoroughly, let the mixture stand for at least 15 minutes then observe looking for signs of separation, globules, sludge, flakes or other precipitates. Physical compatibility is confirmed if the combination remains mixed or can be remixed readily by shaking lightly.

Tank-mixtures of Avensis insecticide/miticide with other pesticides must be applied in accordance with the most restrictive of label restrictions, limitations and precautions. No label application rates may be exceeded. This product cannot be mixed with any product containing a label prohibition against such mixing. When tank-mixing with other products, it is the responsibility of the end-user/applicator to ensure that the tank-mix partner is registered in the state where the application is being made. Not all products are registered in all states; please verify state registration of all tank-mix products in your state before selling, distributing or using.